

# Open-Apple: Vol 1

# 45

\$14.95  
13 Indexed Issues

**Releasing the power to everyone.**

## Index to Volume 1

by Alan Womack

In the following index, a lowercase letter appears after each page number. This letter points to the column an entry appears in. For example, "47a" refers to the first column on page 47; "56c" to the third column on page 56. A few of the entries are followed by "d". This refers to the "grey box" on the corresponding page.

### symbols

& (see ampersand)

### A

A+ magazine 6c  
Abacus 22b, 22c  
accelerator cards 69a-69b, 94b-94c  
Access II 78b  
Addison-Wesley Publishing Co. 26a, 33b, 86b  
Agricomp 17a  
AmDOS 93a  
Amiga 104c  
ampersand 17b, 41b-42a, 55a, 66b, 67a  
annunciators 16a  
APA 52b, 77b  
APPEND 21b, 24a-24c  
Apple Assembly Line 6c, 30a, 53a  
mailing address 77a  
Apple Computer, Inc.  
French subsidiary 49a  
opinions of 1b, 9, 17a, 25a, 33a  
prices 89a  
reorganization 49  
sales 9a, 49a, 73a, 89a  
stocks 17a, 25a  
Apple II+  
and AppleWorks 57a-57b  
expanding 69c  
40-column firmware 48c  
future support 26a, 45b, 53b  
identification bytes for 40b  
Apple IIc  
bank switching 89a  
changes in ROM 41a-44a, 89a  
documentation 14b, 26a, 86b  
80-column firmware 48c  
expanding 35a, 89a  
future support 45b, 89a  
identification bytes 40b, 89a, 99b  
interrupt handling 46b  
manuals 26a, 33b, 86b  
modem bug 47a, 72b, 89a  
monitor (see Monitor)  
mousetext compatibility 25a, 26a  
mother board enhancement 89a  
reference manual 26a, 86b  
serial ports 72a-72b, 83a, 86b, 89a  
system utilities 77b, 96b, 96c  
Apple IIe  
65802 chip 3a  
80-column firmware 48c  
enhanced ROMS 17a, 20b, 25a, 30c, 41a  
compatibility 25a, 30c, 33a  
features 17a, 20b, 28a  
expanding 24a, 34a  
interrupt handling 46b, 71c  
manuals 26a, 33b  
monitor (see Monitor)  
MouseText 25b, 26a  
reference manual 26a, 33b

Apple IIx 2a, 3a  
Apple III 1b, 17a, 49b, 56c  
Apple Software for Pennies 104b  
Apple Writer  
Applesoft programming with 71a-71b  
ASCII format when printing 98a  
communications capability 78a-78b, 102c-103a  
compatibility with new ROMS 25b  
embedding control characters 87b-88b  
exec files 36a  
hard disk support 29b  
null character patch 104b  
printing 87b-88b, 88c  
ProDOS version with printers 22a  
random access files 71a-71b  
update V2.1 97b  
Apple Dot Matrix Printer 39a, 83b  
Apple mouse (see mouse)  
Apple Orchard 66a  
Apple ProDOS: Advanced Features for Programmers 72c, 101c  
Apple Scribe 39a, 45b  
Applesoft  
changes in IIc, enhanced IIe ROMS 41a-44a  
extended memory 34b  
future support 2a  
garbage collection 4a-5b  
printing 85b, 87a-87b  
program processing 2b, 4a-5b  
program storage in memory 75a  
programs (see program by name)  
tokens 55a, 75a  
windowing 48a  
Applesoft BASIC Programmer's Reference Manual 2b  
Applesoft Programmer's Kit 3a  
Applesoft Reference Manual 26a  
Applesoft Tutorial 3a, 26a  
AppleTalk 17a, 28b, 36a  
AppleTalk Developer's Notes for Apple IIe 61a, 73a  
Inside AppleTalk 61a  
network card 73a  
AppleWorks  
adding files to the desktop 59b, 60a  
Apple II+ 26a, 57a-57b  
automation of 95b  
boldface printing 58a, 72a, 88b  
IDS Microprism 480 printer 102b  
cells 58b, 92a  
choosing drive 59b, 60a, 87c  
clipboard 59b, 60b, 69a, 91b-92b  
control-B 58a  
control-L 58a  
control-Y 58a  
creating text files 36d, 59b  
database 58a-58b, 92b  
desktop 58b  
DIF files 59b, 60a, 92b  
emptying clipboard 91b-92a  
EXECing 95b  
expanding 24a, 34b-35a, 46a, 46b, 97a  
file types 59a  
file structures 61a, 69a  
form length 94b  
Franklin computers 57a-57b  
future support 28b  
hard disk support 29b  
insert cursor 57b  
international character use from 104c  
limits 23c, 24a, 58b, 69a  
locking files 60b  
menus 58b-59a

moving data 91b-92b  
multi-column printing 71b-71c  
Notes for AppleWorks 61a, 69a, 71b-71c  
Okidata printer use 30c, 78b-78c  
Open-apple (ditto) 92b  
Open-apple A(range) 92b  
Open-apple C(copy) 59b, 91b, 92a, 92b  
Open-apple E(xchange cursor) 57b  
Open-apple H(hard copy) 85a  
Open-apple K(alculate) 58a  
Open-apple L(ayout) 92b  
Open-apple M(move) 59b, 91b, 92a, 92b  
Open-apple N(ame) 92b  
Open-apple Q(quick change) 59a, 92b  
Open-apple O(ptions) 57b-58a, 71b, 88a  
Open-apple P(rint) 60b, 91b  
Open-apple Z(oom) 58a, 58b, 71b, 92b  
overstrike cursor 57b  
page numbering option 102b  
patches (see Applied Engineering, Checkmate Technologies)  
plotters 95c  
print formatting 57b-58a  
printing 15a-15b, 22a, 30c, 45b, 60b, 86b-88c  
printing to disk 60b, 69a, 81b, 87b  
proportional spacing 84b, 86a-86b  
RESET handling 95b  
sales 17a  
saving files 60a-61a  
setting printer parameters 81b, 88a-88b  
spreadsheet 58b, 92a  
corrupted data 79a-79b  
formula limits 58b  
switching applications 59a  
troubleshooting 87b  
tutorial 57a-61a  
underlining 58a  
update V1.3 97a  
user's groups 61a  
word processor 57b-58a, 92a  
AppleWorks: Tips and Techniques 97b  
Applied Engineering  
AppleWorks patches 24a, 34a-35b, 57a, 58b, 69a, 89b  
RAM disk 32b, 34b  
RAMWorks 24a, 32b, 46a, 46b, 89b  
RAMWorks II 89b  
RAMWorks review 34a-36a  
Z-RAM 69c  
ASCII codes 84a-85a  
ASCII Express 25b, 38a, 86c-87a  
Assembly Cookbook for the Apple IIe 54b  
Assembly Lines: The Book 47a  
Atari 49b  
AUX\_TYPE 63c, 74b-76a  
auxiliary-memory chip failures 77c

### B

Backup II 46b  
Bag of Tricks 95a  
bank switching 47c, 69c, 89a, 90a  
Apple's memory card accessing scheme 90a  
BSAVE, T(type), and CREATE 63b-63c  
Basham, Bill 17b, 30a  
Basic Programming with ProDOS 3a, 26a, 38b, 52a-52b, 96b  
Basic.system (see ProDOS)  
baud rate 82b, 83a  
Beagle Bros  
Beagle Graphics 36a  
BIGLINER 37b  
DiskQuik 29c, 62a

initialization routines 80b-80c  
 Juki 6100 86a-86b  
 L(ength) parameter 50b, 51a  
 Logo 3a  
 machine language interface 72b, 72c, 75a-76a  
 PEEK (978) problems 64a-64b  
 NO BUFFERS AVAILABLE 52a, 96b  
 NO DEVICE CONNECTED 56b  
 pathnames 29b, 51b  
 PREFIX 29b, 51b  
 quit call 79b-79c  
 R(ecord length) 52a  
 RAMdisk 29b, 30b, 35a, 50a, 51b  
 RESTORE 7a  
 SET \_FILE\_INFO 75b, 76a  
 STORE 6c  
 system bit map 52a, 96b  
 system utilities disk 72b, 72c, 77b, 86b  
 T(ype) parameter 51b  
 text files 3a, 23a, 24a-, 40a  
 versions 50b  
 warmstart 16b  
 year limit 79c-80a

*ProDOS Technical Reference Manual* 26a, 33b, 37a, 62c, 72c, 79c

Profile hard disk 9b, 10b, 29a, 46b

*Profix 2.1* 93b

programs

APPEND fix 24c  
 Apple Dot Matrix Printer selector/deselector 87b  
 ASCII demonstration 26b  
 Basic.system trace bug demonstration and fixer 56a, 56b  
 basic Basic copy program 51b, 75a, 75b, 76a  
 BRUN bug program demonstration 54b  
 BSAVE, T, CREATE patches 63c  
 CONVERT modifications for MouseText 64b  
 copy program 51b, 75a, 75b, 76a  
 COPYA for 40-track disks 32a  
 DOS 3.3 and ProDOS hybrid disk 99c-100a  
 double-low res graphics 43a  
 80-column screen 15b, 23b, 27b, 82a  
 FORMULA TOO COMPLEX 15c  
 garbage collection 4a  
 get-loop routine 22b  
 Grappler-Plus graphics dump 63b  
 HTAB test 42a  
 HumanText demo 27b, 38c  
 Incinerator 18a-19b  
 Input Absolutely Anything 67a, 68b, 74b  
 Lam ala Ruth 40c  
 Lam demonstration 13a  
 language card loader 44a  
 lower-case patch for DOS 3.3 38b  
 MAXTRACK 31c  
 PHOENIX 21b  
 printer selected? 14a  
 relocating 62a  
 renaming /RAM 99c  
 screen mapping demonstration 26b  
 selective string preservation 5b  
 serial ports on Ilc configurer 86b-87a  
 Sider enable patch 80b  
 structured programming skeleton 37b  
 text file high bit set problem under ProDOS fixer 55b  
 text file reader 2a-3a  
 text file splitter 39b  
 text file recover 21b  
 text windows demonstration 48b  
 trapping reset program 16c

PROMPT 67b

*ProntoDOS* 1a, 6a, 10b, 17b, 22c, 62a, 80c, 93b

APPEND fix 24a

DOS-UP 23a

PRTGET 67b, 74b

PFI Industries 98b

public domain 9a, 17b, 104b

## Q

Quality Software 52b  
 Quark 32b, 102a  
 Quicken 78c-79a  
 QuikLoader 69a

## R

RAM 128k  
 cards 22c, 28b, 34a, 46a  
 double hi-res with RAM/disk 30b  
 questions 29c

RAM Disks

CHAIN 23b, 62a  
 double hi-res 30b  
 file moving utility 51b  
 ProDOS 29b, 30b, 35a, 50a  
 speed 10b  
 software 22c, 29c, 34b, 35a  
 RAMWorks (see Applied Engineering)  
 Radio Shack 1b, 9a  
 Rana 9b, 22b-22c, 32b-32c, 64c  
 Rbase 71a  
 RDKEY 67b, 68a, 74a  
 READ 2a, 23a  
 text files 2a-3a  
 reset (see control-reset)  
 RESUME 2b, 16c  
 RETURN 2b  
 RETURN WITHOUT GOSUB 2b  
 Reviewer's Corner  
 Fontrix 1.2 3b  
 RAMWorks 34a-36a  
 Sider 10a  
 uninterruptable power supplies 98b  
 RF modulator 35b  
 RGB 34a, 35b-36b, 54b-54c  
 Roger Wagner Software 52a  
 ROMS, enhanced 17a, 20b, 25a-25b, 30c, 41a-44a  
 RS-232-C interface 82b-83b  
 Ruth, Clay 5a, 5b, 40b-40c  
 RWTS 7a-7b, 31b, 32b

## S

Sander, Wendell 17a  
 Sander-Cederlof, Bob 3a, 30a, 53a  
 Sather, Jim 52b  
 Save-It 69c  
 S-C Assembler 44a, 71b, 77a  
 S-C Documentor 44a  
 S-C Word Processor 70c  
 scratchpad RAM 28a  
 screen display  
 accessing 23b-23c  
 CP/M 44a  
 disconnecting 67b-68a, 82a  
 dumping 15b-15c, 22a, 47a  
 hardware 7a  
 MouseText 27a, 27b-28a  
 printers 82a  
 POKE 1403,X 39c  
 reconnecting 4a, 6b, 46b, 82a, 94a-94b  
 ROMS 25a  
 softswitches of 15b, 22a  
 text windows 48a-48c  
 screen dump 15b-15c, 22a, 47a  
 screenholes 28a  
 SCRG 69a  
 Sculley, John 9b, 49a  
 search (monitor cmd) 20b  
 SECAM 35b  
 serial printer cards 82a, 82b  
 serial ports on the Ilc 72a-72b  
 SH Lam technique 12b-13a, 21a, 23a, 30c, 40b  
 Shepherd Marketing 98b  
 Shugart 31b  
 Sider hard drive  
 bulletin board 53a  
 compatability 29a  
 compatability with Microsoft CP/M card 38c  
 noise 29b, 93b  
 review 10a  
 sale 93b  
 software support 70b-70c  
 Silicon Salad 62b  
 Simonsen, Mark 36a  
 Snap-Shot card 79b  
 softswitches 12a  
 accessing 80-column screen 15b, 22a  
 bank switching 35a, 42b  
 cassette support 39c  
 double-resolution graphics 43a, 44a  
 explanation 29c  
 graphics on RGBs 36a, 54b-54c  
 printer selected? 14a  
 Softalk 1a, 56c  
 Softalk Books 47a  
 Softgraph 56c  
 Software Access International 9a  
 Software Automatic Mouth 77b  
 SOL 1b  
 SOS 56c

Source, The 14b  
 SpeedDemon 69a-69b, 94b-94c  
 stack 2b, 16a, 52a  
 step (monitor cmd) 20a-20b  
 STRING TOO LONG 65b  
 strings 4a-5b, 65b-68a  
 SuperCalc 3A 53a, 55a, 58b, 78b  
 update and possible bug 98a  
 super serial card 72a-72b, 83a-83b, 84a, 85a, 86a, 86b  
 Synergetics 54b, 88a

## T

Talley, Sue 37a  
 TASC compiler 70a-70b  
 TEAC 31b  
 Texas Instruments 99/4 9a  
 text files  
 APPEND bug 24a  
 reading 2a-3a  
 recovering 21b  
 splitting 39a  
 TexPrint 53c, 69c  
 text screen (see screen display)  
 Thrdware Computer Products, Inc. 53c  
 Thomas, Bart 15b  
 Thornberg, David 37a  
 Thunderclock 46b, 46c, 79c-80a  
 Time is Money 71a, 78c-79a  
 Titan Accelerator 94b-94c  
 Tognazzini, Bruce 61a  
 tokens 55a, 75a  
 trace (monitor cmd) 20a, 20b  
 Triple Dump 96a  
 Turbo Pascal 35a, 102b

## U

Ugh (see IBM)  
 Ultraterm 47b  
 UniDisk (see disk drives)  
 UniDOS 3.3 93a  
 user groups 14b, 15b, 17b  
 Utility City 37b

## V

value-added resellers 76b  
 variable clearing 6c  
 variable tables 4a-5b, 66a  
 video cassette recorders 17a  
 verify (monitor cmd) 20b, 21a-21b, 41a  
 Videx 44a, 47b  
 VisiCalc 25b, 33b, 35a  
 Votrax 77b  
 VTOC 7a, 23a, 31a, 31c, 32b, 32c

## W

Wagner, Roger 11a  
 Wall Street Journal  
 Apple Computer management 49a  
 starting software businesses 45b  
 Woniak, Steve's resignation 17a  
 Xebec Corp (Sider) 28b  
 Wang 49a  
 warmstart 12a, 12b, 16b  
 warranties 91a, 99a  
 WGE International 61a  
 What's Where in the Apple 103b  
 Wigginton, Randy 5a, 22b  
 Wordstar 29a, 29b, 58a  
 Worth, Don 52b, 55b  
 Wozniak, Steve  
 Apple Ilx 3a  
 buys Apple stock 97a  
 resignation 17a, 25a  
 system monitor 10a, 20a  
 WRITE PROTECTED 56b

## X

Xebec 28b  
 Xmodem 39a-39b  
 XON XOFF protocol 84a, 89a, 99b

## Z

Z-RAM 69c

*Extra K* 53a  
*Frame-Up* 1a, 6a  
*Peeks, Pokes, and Pointers Chart* 23a, 27a  
*ProntoDOS* (see *ProntoDOS*)  
*Silicon Salad* 62b  
*Triple Dump* 96a  
*Utility City* 37b

*Beagle Graphics* 36a  
*Beneath Apple DOS* 33b, 99c  
*Beneath Apple ProDOS* 32a, 52b, 55b, 63b  
*Beyond Turtle Graphics* 37a  
Boering, Brooke 9a  
Bongers, Cornelius 32b, 43b  
book reviews 61b  
BOOT13 15a  
Borland International 35a  
Brady Communications 52b, 72c  
Bredon, Glen 51a, 52a, 102a  
bugs/fixes  
    6502 chip bug 80a-80c  
    Applesoft 43b  
    Basic.system 40a, 56a-56b  
    BRUN (DOS 3.3) 54b-54c  
    *Call A.P.P.L.E.* fast garbage collector bug 22b  
    DOS 3.3 APPEND fix 24a  
    DuoDisk bug 98b  
    fixing stack after reset 16b  
    HCOLOR bug and fix 47c  
    Incinerator 76a-76b  
    *Input Absolutely Anything* 74a-74b, 102c  
    keypad 98a  
    problem too complex 15c, 56b-56c  
    ProDOS 40a, 40b, 55b-55c  
    ProDOS destroying track 0 103c  
    ProDOS copy program 74b-76a  
    reset 16b, 63b  
    RETURN WITHOUT GOSUB error 43b  
    SuperCalc 3A 98a  
    UniDisk 3.5 ROM 98a  
bulletin boards 53a, 61b, 71c, 77c  
Bus School 6c, 90a-90b

## C

California lawyers 91a, 91b  
Call -151 (see *Monitor*)  
Call -2458 20a  
Call -3288 2b, 15c, 95a  
Call 64367 16c  
*Call A.P.P.L.E.* 3a, 5a, 6c, 32b, 37a  
    compilers under ProDOS 70b  
    complaint 22c  
    garbage collection bug 22b  
    *In Depth #1: All About Applesoft* 43b, 62b, 66a  
    *In Depth #3: All About DOS* 24b, 71a  
    INPUT routines 66a-66b, 67b, 74a  
    reader demographics 76a  
    sector reader/writer reference 103b  
    The Spreadsheet 70c  
Centronics 82b  
cassette command cave 41b, 42a, 42b  
*Catalyst* 29a-29b, 102a  
CCIR 35b  
CHAIN (see CHAIN under DOS 3.3 or ProDOS)  
character sets 27a  
Checkmate Technologies 46a, 69a, 72a  
chip (6502)  
    compatibility with future chips 2a, 3a, 25a  
    Poke 72.0 30c, 77a  
    registers 20a  
    reset effects 16a  
    switching with 65802 3a  
chip (65802) 3a, 50a, 94b-94c  
chip (65816) 3a, 28b, 30a, 50a, 56c, 94c  
chip (65C02) 12a, 20b, 25a, 53a, 94b-94c  
chip (Z80) 44b, 47b  
chip RAM 76a-76b  
CHKCOM 74b  
CHKSTR 74b  
CLEAR 16b  
clearing the stack 2b, 15c, 52a, 95a  
clipboard (AppleWorks) 59b, 60b, 69a  
clocks 79c-80a, 94a  
Commodore 6c, 9a, 49b  
compilers 14a-14b, 70a-70b  
composite monitors 35b  
Compucolor 1b  
CompuServe 14b, 15b, 17b, 18a  
*Computer Shopper* 28b, 96a  
Cond.Com 71a

CONTACT 66a  
Control-reset  
    effects 12a, 16  
    trapping 16  
Control-B 20b, 21a  
Control-C 2b, 16c, 20b, 21a  
Control-D 23b  
Control-E 20a, 20b  
Control-I 54a  
Control-K 20b, 21a  
Control-L 28b  
Control-N 27b  
Control-O 27b  
Control-P 70a  
Control-S 11b, 28b  
Control-U 67b-68a  
Control-W 28b  
Control-Y 12b, 13a-13b  
CONVERT 32a, 40a, 40b, 55a, 64b, 79c  
    use with single drive 72c, 77b, 100a  
copy protection 15a, 53c, 70c, 94c  
COPYA 31b, 32a  
Corvus 9b  
COUT 23b, 67b, 68a, 74a  
CPM 44a-45a  
    cards and Sider hard disk 38c  
    hard disk support 10a, 28b, 29b, 38c  
    HeDaPs 7b  
    programs 57b-58a  
    Wordstar 29b  
    Z-RAM 69c  
CREATE 51b

## D

\$D9C6 13a  
Dark Star Systems 79b  
data processing 7b  
Data Transformations Inc 3b  
Dataquest 9a  
DB Master 58b, 70c  
dBase II 58a  
Demco Electronics 47b  
*Developer Disk #1* 52a  
*Digging into DOS*  
    execing ASCII files 13a  
    ProDOS /RAM/ file mover 50a  
    reading text files 2a  
DIM 2b  
DIP switches 2d, 83a-83b  
disassembly 11b-12b  
disk drives  
    570k dream-drive 93c  
    400k 9b, 10a  
    40+ tracks 9b, 31a-32b, 55b-55c  
    800k 28b, 50a, 73a-73b  
    8086/2 22b, 22c, 71a  
    Disk II 61a-61b, 90a-90b  
    DuoDisk 64c, 90a-90b, 94a  
    IIc adapter 61a, 90a  
    mixing 5-1/4" drives 90a  
    noise 94a  
    3.5 inch drives 9b, 28b, 45b, 56c  
    tracks 9b  
    trouble 14c-15a, 98a  
    UniDisk 3.5 73a, 73b, 89a, 93a-93c  
    ROM bug 98a  
    UniDisk 5.25 61a-61b, 90a-90b  
disk recovery 14c, 15a  
disk flipping 38c-39a, 54a  
disk hardware problems 14c-15a, 98a  
*DiskQuik* 29c, 22a  
display screen (see screen display)  
DisplayWriter 7b  
*Disassembly Lines* 56a  
*Diversi-DOS* 10b, 17b, 62a  
Diversified Software Research 9b  
DOS 3 3a  
DOS 3.1 3a  
DOS 3.2 3a, 15a  
DOS 3.3  
    APPEND fix 24a  
    BLOAD length address 51b  
    BLOAD start address 51b  
    B[byte] parameter 51a  
    BOOT13 15a  
    BRUN bug 54b-54c  
    catalog filenames only 30a  
    CHAIN 34b  
    compilers 14a

80-column screen control 6b, 15b  
EXEC files 13a, 36b  
40-track drive support 9b, 22b, 32a-32b  
free space 23a  
future support 2a, 25b, 28b, 29b, 45b, 56c  
garbage collection 4a, 5a, 17b-19b  
hard disk support 3a, 10a, 29a  
lower-case patch 38b  
PEEK (978) problems 64a-64b  
OPEN 23a  
POKE 72.0 (see POKE 72.0 and POKE 72.4)  
POKE 1403 problems 39c  
ProDOS and DOS 3.3 hybrid disks 99c-100a  
RAM disk software 35a  
RANA DOS 22b, 32b  
RESET handling 16  
relocating 23a  
RWTS 7a  
sector to ProDOS block table 55b  
serial ports on the IIc 72a-72b  
system master 15a, 20a, 41a  
text files 21b, 23a, 39a  
volume number 94c-95a  
VTOC 7a, 23a  
warm start 12a, 16b  
DOS mover 32b, 64a-64b  
DOSStalk 1a, 4a, 7a, 12b, 60a  
    adding commands to ProDOS article 52b  
INPUT routine 66b  
DIF files 60a  
    ProDOS type command 52b  
*DOSStalk Scrapbook* 66b, 67d, 70a, 103b-103c  
*DOS-UP* 23a-23b  
double lo-res 43a-43b  
double hi-res  
    software 43a  
        (also see *Fontrix* and *Beagle Graphics*)  
    super hi-res graphics cards 47a  
    with RAMdisk 30b  
    with RGB monitors 36a  
Dr Basic 1a, 6c  
DUPLICATE PATHNAME ERROR 51b  
Dvorak, John 1b, 33a

## E

EDASM (ProDOS assembler) 54b  
END OF DATA 2a-3a, 52a, 94c, 95a  
*Enhancing Your Apple IIe* 1b, 63a  
Ericson, Robert 61a  
EXEC 13a, 95a-95b  
EXTRA IGNORED 65b  
*Extra K* 53a  
Eyes, David 30a

## F

Facelift 2 99a  
*File Cabinet* 52b  
FILER 32b, 50a, 55b-55c, 72c  
Fingerprint-Plus 53c-54a  
*Fire in the Valley* 61b  
*Fontrix* 3b  
*Format II Enhanced* 55a  
*Frame-Up* 1a, 6a  
Franklin 76b, 89a  
    AppleWorks 57a-57b  
FRE 4b, 5a, 5b, 51b  
FRESPEC 68a  
FRETOP 4a, 4b, 5b, 51b  
*Freewriter* 36d, 36b-37a  
Fretwell, Cecil 5a, 66b, 70b

## G

garbage collection 4a-5b, 17b-19b, 22b, 23a  
GBBS II 53a, 71c, 77c  
GDBUFS 74b  
*General Manager* 58b  
get-loop 65a-65b, 66a, 66b  
GETSPA 68a  
graphics printing 53b-54a, 84b  
    Mousepaint 95c  
        (also see high-res graphics)  
*Graphics Tool Kit* 47a-47b  
graphics utilities 3b  
Grappler-Plus 14a, 15a, 53b, 84b-87c

## H

Hackers: Heros of the Computer Revolution 61b

HAL 9b

Hara, Debra 61a, 69a

hard disks

head crash 63b, 79a

ProFile 46b, 56c, 62b-62c

reading blocks 62b-62c, 62c-63a

Sider 3a, 10a, 28b, 46a, 93b

Hardcore Computist 6c, 94c

hardware handshaking 82b, 83b-84a

Heathkit 6c

HeDaPs 7b-7c, 30c

HELP 52b

hexadecimal 11a, 20a, 21a

high-res graphics 29c

double hi-res (see double hi-res)

files 10b

HCOLOR defaults 62b

In Depth #1: All about Applesoft 62b

long programs 62a

mixing modes 63a

printing 53b-54a, 84b

from Mousepaint 95c

(also see graphics)

utilities 3b

## I

IAccalc 70c-71a

IBM 3b, 7b, 17a, 22c, 24a, 32c, 33a

PC/AT 64c

PCjr 45b, 49b

sales 49a

I Hate Computers Book 61b

II Computing 97b

Ilnd grand chats 1a

identification bytes 40b, 101b

ILLEGAL DIRECT 16

Imagewriter 2d, 39a, 83b, 84a-84b

headline type 95c

Imagewriter II 73a

InCider 6c, 61b, 97a, 89b

Incinerator 17b-19b, 30a, 54c, 76a-76b

InfoWorld 1b, 3a, 6c, 33a, 34a, 49a

INPUT 65a-67b

Input Absolutely Anything 65a-68b

corrections 74

keyboard version 96c

input buffer 13a, 23c

Inside Apple's ProDOS 52a-52b

Integer Basic 20a, 62c

interfacing 6b-6c

interrupts 16a, 35b, 46b-46c, 71c, 77a

40-column Ile 71c

inverse 20b, 21a

International Apple Core 36b

## J

Jobs, Steve 49a, 76b

## K

Kansas City Royals 91b

Kensington Microware 55a

Kyan Pascal 102b

## L

Lam ala Ruth 40b-40c

Lam technique 12b

Lancaster, Don 1b, 28b, 37a, 54b, 63a

AppleWriter information 88a

LaserWriter information 96a

laser printer 50a, 54b, 96a

lawyers, California 91a, 91b

Lechner, Peter 52b, 55b

Lisa 1b, 49b

list (Monitor cmd) 11b, 12a, 20a

Little Kingdom, The Private Story of Apple Computer 61b

LOAD (cassette command) 41b, 42a, 55a

LOGO 28a-28b, 37a

128k version 3a, 13b

accessing monitor 13b

DEPOSIT 13b

EXAMINE 13b

files 3a

procedures 3a

soft entry 13b

text editing 3a

Lotus 1-2-3 2a, 17a, 24a, 71a, 78b

Lutus, Paul 36b, 37a

## M

Macintosh

mouse interface 14c, 26a

serial ports 83a

typesetting 30c

Imagewriter protocol 2b

Macul 37a-37b

MacWrite 5a

Magic Window II 39a

MagiCalc 29b, 34b

mail order 3a, 22b

Matthew Monitor 1a

MAUG 14b, 15b, 17b, 18a

MBASIC 45a

memory expansion

Apple 73a, 73b, 89b-90a

Applied Engineering 34a-35b, 73a, 89b

Checkmate Technologies 73a, 89b

memory map 4b

memory resident data 58a

Merlin 52a

Merrill, Linda 17a, 25b, 89a

Micro Computer Technologies 69a-69b

Micro Data Products 53a

Micro Marketworld 28b

Micro-Sci 9b, 31b

Micrographic Images 47b

Micronetworked Apple Users Group (see MAUG)

Microsoft Ile CP/M card 38c

MIDI interface 104b

Mindstorms 3b

mini-assembler 20a, 20b, 99b

modems 39a, 46b, 47a, 77a-77b

Apple Writer 103a

Monitor

accessing 10b, 12b-13b

accessing from LOGO 13b

crashing into 2a, 12a

enhancements 25a, 28a

letter dump program 12b

math 21a

POKE 72,0 when leaving 30c, 77a

POKE 72,4 when leaving 77a

text display commands 20b, 21a

using 9b, 20a, 28a

monitors

Apple Color 73a, 93c-94a

composite 35b-36a, 73a

RGB 35b-36a, 93a-94b

Mossberg, Sandy 56a

mouse 46c, 59a, 98a-98b

MouseCalc 98a

Mousepaint 14b, 95c

MouseText

CONVERT fix 64b

compatibility 25a, 25b, 26a

machine language interface 14c

location 40a, 61a

software support 14b

review 26a

move (monitor cmd) 21a

MS-DOS 22b, 71a

MultiRam 72a

## N

Nibble 6c, 31b, 35a, 45b, 56a

nibble buffers 17b

Night Owl Journal 52a

NO BUFFERS AVAILABLE 52a, 96b

NO DEVICE CONNECTED 56b

normal (monitor cmd) 20b, 21a

Norwich Data Services 57a-57b

NTSC 35b, 36a

## O

Okidata 15a-15b, 30c

One-Key DOS 9a

ONERR GOTO 2a, 16b-16c, 51b, 71a

OPEN 23a

OpenAppleWriter 71a-71b

OUT OF MEMORY 2b

## P

paddles 35a

Papert, Seymour 3b

parallel printer cards 82a-82b

Pascal

bug 102a

disk format support 10a, 11c, 28b

education 37a

hard disk support 10a, 28b, 38c

RAMdisk software 35a

third party 35a, 102b

UniDisk support 73b

update V1.3 102a, 102b

patches (see specific product to be patched)

PATH NOT FOUND 51a

PEEK (978) problems 64a-64b

Penguin Software 47a

Picking Up Applesoft

garbage collection 4a

S.H. Lam technique 12b

PIP 44a, 45a

Plus-Works 57a-57b

POKE 72,0 30c-31a, 77a

POKE 72,4 77a

POKE 1403 39c

POP 95a

PR#1 81b-82a, 86a-86b

PREFIX 51b

Prentice-Hall Publishing 52a-52b

Printers

alternate character sets 78c, 83b

Apple Dot Matrix Printer 39a, 83b

Apple Writer 22a

AppleWorks (see AppleWorks)

baud rate 83a-83b

cards 14a, 15a-15b, 45b, 82a-82b, 84b-87a

data format 83b

graphics dump 3b, 53c

Gorilla to Grappler problem 63a-63b

hex dumps 39a, 54a

IDS Microprism 480 102b

Imagewriter 2d, 39a, 83b, 84a-84b, 95c

Imagewriter II 73a

Laserwriter 50a, 54b

Okidata 92 15a, 30c, 78b-78c

parallel 82a-82b

Programmer's Handbook of Computer Printer Commands  
84b

Scribe 39a, 45b

serial 82a-84a

softswitches 14a

special issue 81a-88c

support 29b

XON-XOFF protocol 2b, 84a

Print-It! 53c-54a, 69c

procedures 3a, 3b

ProDOS

A(address) with PR#x 6b, 82a

A(address) with files 50b, 52a

accessing 80-columns 23b

Apple Writer 22a

AUX\_TYPE 63c, 74b-76a

Basic.system

adding commands to 52a, 52b

bug 40a

removing 72a-72b

restarting 77c

trace bug 56a-56b

binary file anatomy and execution 50b

BLOAD length address 51b

BLOAD start address 51b

block to DOS 3.3 sector table 55b

bugs 40a, 55b-55c, 56a-56b

B(byte) 51a

CHAIN 50a, 62a

compilers 14a, 70a-70b

dash command 50b

dispatcher 79c, 101c-102a

DUPLICATE PATHNAME 51b

E(nd) parameter 50b, 51b

FILER 32b, 50a, 55b-55c, 72c

freospace on disk 23b

forty-track drives 31b, 55b-55c

garbage collection 5a, 17b

GET\_FILE\_INFO 75b-76a

global page 72b, 75a

GOSYSTEM 75b

high bit set problems 55a